

JMS-8 / JMS-10 – Mitre saw

- Machine base and table are precision machined
- Table swivels 46° L/R with 17 preset positions
- Easy bevel cut setting with adjustable stops at 0° and 45° L
- Table extensions give 730 mm total workpiece support
- Powerful 1200 W motor with JMS-8
- Powerful 1400 W motor with quick stop magnetic brake with JMS-10
- Built in arbor lock for easy, single wrench blade change (JMS-10)
- See-through self retracting blade guard
- The JMS-10 comes complete with clamping system, fence and scales
- 26 tooth carbide tipped universal sawblade standard with JMS-8
- 40 tooth carbide tipped sawblade is supplied with JMS-10



CE

Stock number 230 V	10000818 M	10000820 M
Model:	JMS-8	JMS-10
Motor: P ₁	1200 W	1400 W
Blade speed:	4500 rpm	4500 rpm
Blade diameter/bore:	210/16 mm	254/30 mm
Mitre capacity left/right:	46° / 46°	46° / 46°
Pre-set mitre angles:	every 5° and 22,5°	every 5° and 22,5°
Bevel capacity:	0° – 45°	0° – 45°
Cutting capacity 90° / 45°:	max. 60/25 mm	max. 75/45 mm
Cutting length 90° / 45°:	max. 120/80 mm	max. 135/90 mm
Weight:	9.5 kg	17 kg

JMS-10 S – Slide compound mitre saw

NEW!

JMS-10 S – Slide compound mitre saw

- Very quiet miter saw powered by a braked induction motor which dramatically reduces the noise
- Table swivels both sides 45°
- Easy bevel cut setting with 9 pre-set mitre
- The base of the saw is cast from aluminum and has nine preset angles
- Precise ball bearing guides, as a result it is able to attain a high degree of accuracy
- Included in the standard equipment is a material clamp, fence and carbide tipped universal saw blade




CE

Stock number 230 V	10000825 M
Model:	JMS-10 S
Motor power: P ₁	1600 W
Blade speed:	2950 rpm
Blade diameter:	254/30 mm
Mitre capacity:	3 x 45°
Pre-set mitre angles:	0, 15, 22.5, 30, 45°
Cutting capacity 90° / 45°:	60 / 60 mm
Cutting length 90° / 45°:	300 / 210 mm
Weight:	20 kg

JTS-8 – Table saw

- Table extension can be installed on each side, allows the machining of big work pieces
- Powerful 720 W induction motor, low noise and maintenance free
- Separate handwheel for precise 0°–45° blade tilt
- Mitre gauge tilts 45° left and right
- A dia. 31 mm home vac can be used
- The saw comes complete with mitre gauge, saw guard and table extension
- A 24 tooth carbide tipped saw blade is supplied

Stock number 230 V	10000800 M
Model:	JTS-8
Motor power: P ₁	720 W
Blade speed:	2950 rpm
Blade diameter:	205/16 mm
Blade tilt:	0°–45° left
Max. depth of cut at 90°/45°:	43/36 mm
Width of cut:	410 mm
Table size:	400 x 513 mm
Table size with extensions:	570 x 513 mm
Dust port diameter:	31 mm
Weight:	30 kg



JTS-10 – Table saw

- Ample table surface allows the machining of big workpieces
- Powerful 1500 W motor with quick stop magnetic brake
- A robust machine body guarantees long term precision
- Separate handwheel for blade tilt with adjustable stops at 0° and 45°
- Precision miter gauge with aluminum profile tilts 60° left and right
- A dia. 57 mm shop vac or a 100mm dust collector can be used
- The saw comes complete with mitre gauge, saw guard and table width extensions, table length extensions and stand
- A 40 tooth carbide tipped sawblade is supplied

Stock number 230 V	10000801 M
Model:	JTS-10
Motor: P ₁	1500 W
Blade speed:	4500 rpm
Blade diameter/ bore:	254/ 30 mm
Blade tilt:	0°–45° left
Max. depth of cut & 90°/45°:	80/55 mm
Width of cut:	410 mm
Table size:	430 x 640 mm
Table size with extensions:	940 x 950 mm
Dust port diameter:	57 and 100 mm
Weight:	37 kg



JWP-12 – Portable thickness planer

JET

JWP-12 – Portable thickness planer

- Powerful 1800W motor quickly removes material
- Magnetic switch with dust cover
- Overload protection with reset circuit breaker
- 2 reversible HSS blades deliver 18,000 cuts per minute
- Adjustable depth gauge enables precise thickness control
- Fold down table extensions with end rollers provide support for smooth moving of stock
- Dust hood allows connection to shop vac or dust collector



Stock number 230 V	10000840 M
Model:	JWP-12
Motor: P ₁	1800 W
Max. Workpiece width:	318 mm
Max. Workpiece thickness:	153 mm
Feed rate:	7m/min
Cutterblock speed:	9000 rpm
Max. chip removal:	0–2.5 mm
Weight:	30 kg

Accessories

Stock number	Description
10000841	Planer knives (Set of 2 pcs.)
10000842	Open Stand

JSS-16 – Scroll saw

JET



JSS-16 – Scroll saw

- Powerful 90 W permanent magnet motor
- Variable speed 400–1600 spm for cutting various materials
- 35 mm dust port allows connection to vacuum cleaner
- Robust machine table tilts 45° for bevel cutting
- Accepts pin blades and plain end blades
- Big transparent blade guard for safety
- Saw dust blower helps keep cutting line clean
- Quick release blade tension knob allows quick and easy blade change
- Heavy cast iron base stability and low vibration
- A set of 5 pin blades is supplied

Stock number 230 V	10000808 M
Model:	JSS-16
Motor: P ₁	90 W
Blade stroke:	15 mm
Blade speed:	400 – 1600/min
Table size:	410x254 mm
Cutting capacity:	50 mm
Overhang:	406 mm
Table adjustment:	0–45°
Weight:	20 kg

Accessories

Stock number	Description
10000809	Sawblade (Set of 5 pcs.)



- Precisely machined cast iron machine table with extension wings
- 13 mm drilling capacity
- Quiet 350 W induction motor
- 12 V halogene machine lamp with automatic ON
- Hinged belt and pulley cover for easy access
- Machine base with integrated tool tray
- Micro adjustable depth gauge
- The drill press comes complete with machine lamp, chuck guard and tool tray
- A 13 mm chuck and chuck key are supplied

Stock number 230 V	10000830 M
Model:	JDP-8
Motor: P ₁	350 W
Spindle speeds: 5	550, 850, 1200, 1650, 2650 rpm
Spindle taper:	B16
Spindle travel:	50 mm
Chuck size:	13 mm
Throat:	100 mm
Table size with extensions:	280 x 160 mm
Table tilt:	+/- 90°
Weight:	22 kg

- Heavy aluminum cast machine body
- Robust machine table tilts 45°, with adjustable stop for square
- Quiet 350 W induction motor
- 12V machine lamp with automatic ON
- Balanced bandsaw wheels with long-life PU coating
- Precision mitre gauge with aluminum profile tilts 60° left and right
- Upper and lower blade guides extend blade life
- The saw comes complete with rip fence, mitre gauge and machine lamp
- A 6 mm sawblade is supplied

Stock number 230 V	10000850 M
Model:	JWBS-9
Motor: P ₁	350 W
Depth of cut:	80 mm
Width of cut:	230 mm
Blade length:	1510 mm
Blade width:	3–10 mm
Wheel diameter:	240 mm
Blade speed:	670 m/min
Table size:	300 x 300 mm
Table tilt:	0°–45°
Dust port diameter:	48 mm
Weight:	17 kg



Accessories

Stock number	Description
10000851	Bandsawblade 6 mm

- Compact size mounts on any workbench or work surface
- Hinged pulley cover provides quick access to the belt for easy changes of speed

- Bed made from strong 400 mm long aluminium extrusion
- Smooth running ball-bearing live center

Standard equipment

Pen mandrel 160 mm, spur center, live center and 3-piece chisel set



Accessories

Stock number	Description
10000700	Pen kit

Stock number 230 V	708329 M
Model:	JPL-358
Power output: P ₂	60 W
Swing over bed:	88 mm
Distance between centers:	203 mm
Speeds: 2	1600/3000 rpm
Nose:	3/4" x 16 TPI
Hole through spindle:	7.9 mm
Headstock taper:	MK-0
Tailstock taper:	MK-0
Tailstock ram travel:	19 mm
Dimensions in mm:	489 x 177 x 158
Weight:	5.6 kg

JCS-14 – Chop saw

JET

JCS-14 – Chop saw

- Powerful 1800 W motor for fast cutting through work
- Built in arbor lock for easy wheel changes
- D-shaped soft grip handle for operating comfort
- Quick lock/release vise for easy clamping of material
- Adjustable fence adjusts for bevel cuts from 0 to 45 degrees
- Hold down lock secures motor on lower position during transport
- Blade wrench stored on base for convenience
- Lockable blade guard provides adequate safety for user
- Sheet steel base with Neoprene feet protected from sparks
- A dia. 355mm abrasive wheel is supplied

Stock number 230 V	10000828 M
Model:	JCS-14
Motor: P ₁	1800 W
Max. cutting capacity:	100 mm
Wheel size:	355 x 3.2 mm
Arbor:	25.4 mm
Wheel speed:	3450 rpm
Weight:	20 kg

Accessories

Stock number	Description
10000829	Cut-Off Disc 355 mm




JEB-1 – Edge bander

JET

JEB-1 – Edge bander

- The Edge Bander is simple to operate and is designed to handle wood and polyester edge banding materials that are backed by a hot melt adhesive
- The heating element has infinite adjustment within the 100 to 200 degree heating range
- It has non-skid rubber feet, a built-in plunge cutting knife and wide support table for the banding material roll
- A double edge trimmer is supplied



Stock number 230 V	708000 M
Model:	JEB-1
Hot air gun: P ₁	2000 W
Fence height:	55 mm
Table size:	680x192 mm
Operating Temperature Range:	100 to 200°
Overall Size (L x W x H):	680 x 667 x 238 mm
Weight:	12 kg

Accessories

Stock number	Description
JEB-1-51	Knife for double edge trimmer (set of 4 pcs)